# CHURCH URBAN DISTRICT COUNCIL

ANNUAL REPORT

of the

## Medical Officer of Health

Frank W. Pare, M.R.C.S., L.R.C.P.

for the Year 1942

## Health Committee

Councillor J. W. Kayley, J.P., Chairman. (to April, 1942)

Councillor W. H. Stokes, Chairmant (from April, 1942)

## Councillors

J. Wilson, J.P.

Mrs. A. Barnes, J.P.

H. Smith, J.P.

J. A. Sharples.

R. Rawlinson.

J. W. Boothman.

A. Berry.

J. Beckett.

J. Dewhurst.

W. Clements. (to October, 1942)

T. P. Marsden. (from November, 1942)

R. Ainsworth. (from September, 1942)

-----

#### STAFF

MEDICAL OFFICER OF HEALTH

F. W. Pare, L.R.C.P., M.R.C.S.

SANITARY INSPECTOR

R. Ratcliffe, A.M.I.C.E. (from Hanuary to April, 1942)

H. Woodcock, M.S.I.A. (from June, 1942)

CLERK

E. Kinder,

(from November, 1942)

## REPORT OF THE MEDICAL OFFICER OF HEALTH FOR THE YEAR 1942

To the Chairman and Members of the Church Urban District Council.

Mr. Chairman, Madam & Gentlemen,

I have pleasure in submitting to you my annual report on the Health of the District, for the year 1942.

In accordance with the instructions from the Ministry of Health, many of the usual statistics have been omitted.

#### VITAL STATISTICS

#### Live Births:

	Legitimate Illegitimate	TOTAL 67 5	MALES 31 2	FEMALES 36 3
Still	Births:			
	Legitimate Illegitimate	. 6	2 -	4
Death	s:			
		78	43	<b>3</b> 5

Deaths of infants under 1 year of age per 1,000 live-births:-

Legitimate	13.9
Illegitimate	
TOTAL	13.9

Deaths from Measles (all ages)... ... 0
Deaths from Whooping Cough (all ages)... 0
Deaths from Diarrhoea, etc. (under 2 years)... 0

The other certified causes of death were as follows:-

Cerebro-Spinal Fever	1
Pulmonary Tuberculosis	6
Cancer	13
Heart Disease	21
Other circulatory diseases	2
Bronchitis	2
Pneumonia	6
Other respiratory diseases	2
Peptic Ulcer	3
Suicide	2
Other digestive diseases	2
Intra-cranial Vascular Lesions	9
Nephritis	2
Road Traffic	2
All other causes	5

#### Tuberculosis:

There were 6 deaths from Pulmonary Tuberculosis giving a death rate of 1.20 per 1,000.

There were no deaths from other tuberculosis diseases.

The notification of Tuberculosis is thoroughly efficient.

New Cases and Mortality during 1942.

		New	Cases		Deaths					
Age Periods	Pulmo	nary	Non-pu	lmonary	Pulmo	nary	Non-pulmonar			
	M.	F.	М.	F.	M.	F.	M.	F.		
Years  0 - 1 - 5 - 10 - 15 - 20 - 25 - 35 - 45 - 65 and upward	1. 1.	· 2·	1 .	1 1.	1	. 11				
TOTALS	3	3	2	2	2	<del>-</del> -6	0	0		

### Notifiable Diseases:

Number of cases of infectious disease (excluding tuberculosis) notified, and the number of cases removed to hospital, during the year 1942.

		٠,			CA	SES	NO	rifii	 ED		<del></del>			
	Disease	Ind					7	Years	3			4.5	Tota <b>1</b>	Removed to
		7	1-	2-	3-	4	5-	10-	15-	20-	35-	45	cases	hospital
	Scarlet Fever		1	1	1	3	5	8	•				18	7
Ì	Measles, excluding German Measles.	3	1	5	4	5	12	1					28	
	Acute Pneumonia.											1	1	
	Cerebro-Spinal Fever										ã		ĵ.	3.
C	Opthalmia Neonat- orum	1			7								1	
	Scabies	1:								1			2	
		2	ì	6	5	8	17	9		1	1	1	51	8

There were no deaths from infectious diseases (excluding tuberculosis).

# Nursing Arrangements:

There is one District Nurse available for the general district nursing, but there is no nurse available for infectious diseases. The Church District Nursing Association (Voluntary) provide the District Nurse.

## Ambulance Facilities:

The Accrington and Oswaldtwistle Ambulances are available for non-infectious diseases, and accident cases. For infectious cases an ambulance is arranged for as required. The Blackburn Union Ambulance is always available for the conveyance of patients to Queen's Park Hospital.

# Hospital Accommodation:

For Smallpox - joint with Oswaldtwistle Urban District Council.

For other infectious diseases - arranged with Blackburn, Darwen and Burnley Corporations as required.

The agreement with Oswaldtwistle Council in regard to the Smallpox Hospital is an annual retaining fee of £5/5/0 per 1,000 population. Three beds being retained for Church. In addition to the retaining fee, the following maintenance charges are made:-

For one patient £8/8/0 per week,
For two patients £6/6/0 per week per patient, and
For three or more patients £5/5/0 per week per patient.

#### Diptheria Immunisation:

	Age under 5 years.	Aged 5 years and lover but wnder 15.	Total
Number of children who completed the full course of immunisation during 1942.		40	63
Approximate extimated number of children in the area	200	487	687
Percentage of the child population shown, considered immunised at 31st December, 1942.	43%	71.3%	

Number of cases of Diptheria in children under 15 wears of age notified in 1942 -- Nil.

I am,

Mr. Chairman, Madam & Gehtlemen,
Your Obedient Servant,
FRANK W. PARE, M.R.C.S., L.R.C.P.,

Medical Officer of Health.

# REPORT OF THE SANITARY INSPECTOR FOR THE YEAR 1942

Mr. Chairman, Madam & Gentlemen,

The following is a brief report of the duties carried out during the Year.

Mr. R. Ratcliffe, who commenced duties in January, 1942, left the service of the Council in April, 1942, and I commenced duties on the 20th June, 1942.

Also during the year, the Health Department was transferred from the Council Offices to 38, Blackburn Road, which necessitated removal of office furniture and all records of the Department.

## Public Cleansing and Salvage:

This service was carried on successfully during the year. Two horse drawn vehicles are used for the collection of household refuse and salvage, which collection is made once weekly.

Communal food bins were placed on the streets for the reception of kitchen waste; these bins are emptied twice weekly by the Accrington Corporation who then cook the food before it is re-sold.

In Scptember, 1942, disused petrol tins were purchased from the Army and were adapted for use as receptacles for the storage of household bones. Immediately these tins were placed on the streets the weight of bones collected was greatly increased.

# WEIGHT AND VALUE OF SALVAGE SOLD DURING 1942

	2	•					
Material	, ,	Tons	Cwt.	£	s.	d.	
Waste Paper Kitchen Waste Manure Bones Textiles Jars' and Bottles Non-Ferrous Metals Ferrous Metals	· · · · · · · · · · · · · · · · · · ·	36 41 20 1	19 9 44 16 11 64 9	186 36 15 4 6 2 8	11 6 13 8 3 5	- 0000000	,
TOTAL		101	163	259	8	0	

The number of movable ashbins is 1846.

There are no ashpits in the District.

#### Drainage:

11 waste water closets were converted to the fresh water system.

workmen. This number could be reduced if the householders showed a little more care.

Number of privy middens with closets attached
Number of waste water closets
Number of fresh water closets
725

123 choked waste water closets were cleansed by the Council

## Disinfection and Disinfestation:

This work is carried out by the Council foreman.

The steam disinfector at Oswaldtwistle is used and 17 consignments of bedding or clothing were dealt with at the disinfecting station during the year, 29 rooms were disinfected after infectious disease.

There were very few houses infested with bed-bugs, the treatment consists of spraying with a liquid insecticide and thorough cleansing of all infested rooms.

#### Housing:

Number of new houses erected during the year:(a) Total ... ... ... ... ... ... ... ... ...

(b) As part of a municipal housing scheme... 0

# - I - UNFIT DWELLING HOUSES.

## Inspection.

- 1 (a) Total number of dwelling houses inspected for housing defects (under Public Health or Housing Acts) ... ... ... ... ... ... 313
  - (b) Number of inspections made for the purpose..523
- 2 (a) Number of dwelling houses inspected and recorded under the Housing Consolidated Regulations 1925 and 1932. ... 0
  - (b) Number of inspections made for the purpose.. 0

	3. Number of houses found to be in a state so dangerous or injurious to health as to be unfit for human habitation 0	
re	4. Number of dwelling-houses (exclusive of those referred to under the preceding heading) found not to be in all respect asonably fit for human habitation 31	
	II - REMEDY OF DEFECTS WITHOUT SERVICE OF FORMAL NOTICES.	
of	Number of defective dwelling-houses rendered fit in consequence informal action by the Local Authority or their Officers 25	e 6
•	III - ACTION UNDER STATUTORY POWERS.	ge <sup>2</sup>
A.	Proceedings under Sections 9, 10, and 16 of the Housing Act, 1936	
	(1) Number of dwelling-houses in respect of which Notices were served requiring repairs	0
	(2) Number of dwelling-houses which were rendered fit:-	
	(a) By owners by Local Authority in default of owners	000
B.	Proceedings under Public Health Acts.	
	(1) Number of dwelling-houses in respect of which Notices were served requiring defects to be remedied	4
	(2) Number of dwelling houses in which defects were remedied:	-
	(a) By owners (b) By Local Authority in default of owners	40
σ.	Proceedings under Sections 11 & 13 of the Housing Act, 1936.	
	(1) Number of dwelling-houses in respect of which Demolition Orders were made	0
	(2) Number of dwelling houses demolished in pursuance of Demolition Orders:	0

Ar .

D. Promeèdings under Section 20 of the Housing Act, 1936.
(1) Number of separate tenements or underground rooms in respect of which Closing Orders were made 0
(2) Number of separate tenements or underground rooms in respect of which Closing Orders were determined, the
tenement or room having been rendered fit 0
Sanitary Improvements Effected during 1942:
Insanitary or defective sinks replaced by glazed sinks
Defective plaster repaired
Rainwater gutters provided or repaired 3
Deposits of refuse removed
Flushing cistorns repaired or renewed
Defective dustbins renewed 3
Drains repaired or reconstructed
Defective windows repaired or renewed
Choked drains cleansed
Water services repaired
Walls repointed or repaired
Floors repaired or renewed
Windows provided with new sash cords
Absence handrails
Doors repaired
External walls rendered with water-proof cement
Yard walls repaired or renewed
Hearths repaired
W.C. seats repaired or renewed
Tipplers repaired or renewed
Rainwater pipes disconnected from drains
Waste pipe's renewed
During the Year 313 Preliminary Notices were served, the
following defects being recorded: -
Blacked waste water closets 42
Verminous premises
Defective tipplers 18
Defective pipes **:
Defective roofs 1
Blocked fresh water closets

4

1

Accumulations of refuse ...

Deficient ventilation.. ...

Blocked drains ... ...

Defective floors					• • •			
Defective flushing cisterns Defective W. C. nedestels		• • •			* * * -			
Defective W. C. pedestals Blocked gullies		• • •	* * * * * * * * * * * * * * * * * * *		• • •			
Defective grates to gullies			• • •		• • • •			4
Defective walls		• • •	<b>*</b> ** *	• • •	* • • · · · · · · · · · · · · · · · · ·			
Defective doors			• • •,		11 to 10 to	• • • • •	***	6
Defective caves spoutings and	l fall	pipe	S			• • •		46
Defective plaster Absent handrails.	* • •	***						8
Defective fireranges.		* * *		• •	• • •			
Defective ceilings			* * *	***	• • •		• • • •	4

# Slaughter Houses:

ment of the second seco There were no slaughter houses used in the District during the 

### Farms:

The four famus un the District have been inspected, special attention being given to the condition of the cowsheds and dairies and these have been found in fairly satisfactory condition. There are no cows at one of the fams.

# Milk Sampling.

Dwring the year, 12 samples of milk were obtained and submitted to the Preston Royal Infirmary for analysis. The examinations asked for were: - . the Methylene Blue Reductase Test, presence of B. Tuberculosis and presence of B. Coli and in the case of 2 samples of pasteurised milk, the Phosphatase Test.

All these samples were found to be quite satisfactory.

# 1/27 and 1 may be a superior

The factories have been inspected as to somitary cond accommodation and any defects have been dealt with.

## me the same of the Bakehouses:

All bakehouses were inspected during the year and verbal notice had to be given in some cases where lime-washing was everdue.

#### Food Inspection:

During the year, the following food was condefined: 48 tins of Milk,

1 tin of Peas, and

378 tins of Beans:

#### Offensive Trades:

Regular visits were paid to the tallow-melting works and some improvement was shown during the year.

# Water Supply:

Water is supplied by the Accrington & District Gas and Water Board and the Oswaldtwistle Urban District Council.

I an,

Mr. Chairman, Madam & Gentlemen,

H'. WOODCOCK

Sanitary Inspector